

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1-21. (Canceled).

22. **(Currently Amended)** A one-use dispensing device for separately ~~storing~~ and storing, dispensing, and applying proportional amounts of two substances, comprising:

- (i) ~~a respective flexible receptacle for each substance; and~~
- (ii) ~~a line of fold extending over the device between the receptacles;~~
- (iii) ~~wherein~~ said device being foldable about said line of fold so that the receptacles are ~~superposable~~ superimposed;
- (iv) ~~wherein a respective rupturable outlet is defined for each receptacle;~~
- (v) ~~wherein~~ said outlets ~~converging~~ converge towards the line of fold; and
- (vi) ~~wherein~~ said receptacles include indicia indicating where a thumb and forefinger of a user should be positioned to allow for substantially complete evacuation of the receptacle through the outlet;

whereby when the device is folded about said line of fold, said outlets are superposed for dispensing and mixing the substances when the receptacles are squeezed; and

whereby the device is configured to be manipulated by a user in a one-handed operation to dispense the two substances.

23. (Previously presented) A dispensing device as defined in Claim 22, wherein said receptacles are disposed such that one of said receptacles on one side of the line of fold is a transposed minor image of the other receptacle on the other side of the line of fold and said receptacles are substantially equidistant from the line of fold.

24. (Previously presented) A dispensing device as defined in Claim 23, wherein each of said outlets includes a weakened region.

25. (Previously presented) A dispensing device as defined in Claim 22, wherein each of said outlets includes a weakened region which comprises a tear line.

26. (Previously presented) A dispensing device as defined in Claim 22, wherein there is a scored or vacuum formed tear line which leads to a weakened region of the outlet.

27. (Previously presented) A dispensing device as defined in Claim 22, wherein each outlet is adapted to comprise a narrow orifice intermediate the length of the outlet such that when its respective receptacle is squeezed by the user said respective substance contained therein will burst through said weakened region.

28. **(Canceled).**

29. (Previously presented) A dispensing device as defined in Claim 22, wherein said device comprises two flexible laminae positioned adjacent one another and sealed together so as to define said two receptacles.

30. (Previously presented) A dispensing device as defined in Claim 29, wherein the laminae are selected from a group comprising foil, polyethylene, polypropylene, polyvinyl chloride, polyvinyl acetate and foil coated with polypropylene.

31. **(Currently Amended)** A dispensing device as defined in ~~Claim 28~~claim 29, wherein each of the laminae are composed of different materials.

32. **(Currently Amended)** A dispensing device as defined in ~~Claim 28~~claim 22, wherein upon said substances being squeezed from said device and meeting, said substances undergo a chemical or physical reaction.

33. (Previously presented) A dispensing device as defined in Claim 22, wherein one of said two receptacles contains an epoxy and the other of said two receptacles contains a hardener.

34. (Previously presented) A dispensing device as defined in Claim 22, wherein the receptacles contain foodstuffs.

35. (Previously presented) A dispensing device as defined in Claim 22, wherein the receptacles contain materials selected from a group comprising pharmaceuticals, other liquids, pastes and gels used in medical or dental work.

36. (Previously presented) A dispensing device as defined in Claim 22, wherein said device is adapted to be folded and manipulated by a user in a one-handed operation such that said outlets are easily aligned and said substances contained within said receptacles are simultaneously dispensed, mixed and proportionately applied.

37. **(Currently Amended)** A dispensing device as ~~defined~~defined in Claim 22, wherein said outlets are positioned at or adjacent to the side edges of the dispensing device.

38. **(Currently Amended)** ~~A one-use device for separately storing and dispensing an epoxy and a hardener, adapted to dispense, mix and apply proportional amounts of the epoxy and hardener, the device comprising a line of fold about which two receptacles, composed of a flexible material, are disposed, each receptacle containing either epoxy or hardener and comprising an outlet through which the epoxy or hardener can be squeezed, the dispensing device being adapted to be folded about the line of fold so that the receptacles are superposed~~The dispensing device according to claim 22, wherein the two substances are epoxy and a hardener.

39. (Previously presented) A dispensing device as defined in Claim 36, wherein said device is adapted to be folded and manipulated by a user in a one-handed operation such that the outlets are easily aligned and the epoxy and hardener are simultaneously dispensed, mixed and proportionately applied.

40. **(New)** A dispensing device as defined in claim 22, wherein said outlets are disposed such that one of said outlets on one side of the line of fold is a transposed minor image of the other outlet on the other side of the line of fold and said outlets are substantially equidistant from the line of fold, whereby the substances are dispensed and mixed when the receptacles are squeezed.